IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No.

10/681,497

Applicant

Stephen G. Bales

Filing Date

October 27, 2003

Title

Lignocellulosic, Borate Filled, Thermoplastic Composites

Examiner:

Matthew J. Daniels

Art Unit

1732

Docket No.

LA 001

Customer No.

000048373

Declaration Under 37 CFR 1.131

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

I, Stephen G. Bales, declare that all the statements made of my own knowledge are true, and that all statements made on information and belief are believed to be true:

1. In October, 1999 I conceived the use of calcium borate as a fungicide in lignocellulosic composites, also commonly known as wood composites (WC's). Based on further investigation, I then conceived of using CB as a fungicide in lignocellulosic thermoplastic composites, commonly known as wood-plastic composites (WPC's), in July, 2000.

1.131 (continued)

- 2. By October, 2000 an arrangement had been made for WPC samples containing calcium borate to be prepared for testing. In May, 2001 the initial samples had been prepared and placed in Ohio and Florida test sites. In October, 2001 additional WPC samples containing calcium borate were prepared and placed in these test locations.
- 3. As a result of testing a range of additive loadings, the discovery was made that calcium borate is an effective WPC fungicide. Further, the surprising discovery was made that CB at loadings as low as 2% increases WPC resistance to surface impairment caused by mold growth. This also addressed a long felt need as described in my declaration under 37 CFR 1.132 dated Nov. 22, 2005.
- 4. I acknowledge that willful false statements and the like are punishable by fine and/or imprisonment, and may jeopardize the validity of the application of any patent issuing therefrom.

17 Hart Lane, Sewell, NJ 08080

Sworn in the State of New Jersey,

County of Gloucester

In the State of New Jersey, this $\frac{1}{9}$

day of June, 2006

Witness my hand and official seal.

My Commission Expires:

14 JULY 2009

Notary Public

GABRIELE S. MASTROBUONO
Notary Public - New Jersey 2 of 2
My Commission Expires July 14, 2009

Stephen Bales, access your

0 Titles

0 Articles

0 Searches

My

InterScience

Home / CHEMISTRY / Industrial Chemistry

HOME
ABOUT US
CONTACT US
HELP

Kirk-Othmer Encyclopedia of Chemical Technology

Copyright ©2005 by John Wiley & Sons, Inc. All Rights Reserved.

BROWSE ARTICLES BY
Title | Subject

SEARCH IN

Advanced Pro Search All Co

Boron Oxides, Boric Acid, and Borates

Abstract
Top of Article

- 1. Occurrence
- 2. Boron Oxides
- 3. Boric Acid
- 4. Solutions of Boric Acid and Borates
- 5. Borates
- 6. Sodium Borates
- 7. Other Alkali Metal and Ammonium Borates
- 8. Calcium-Containing Borates
- 9. Other Metal Borates
- 10. Boron Phosphate
- 11. Environmental Concerns, General
- 12. Health and Safety Factors, General Bibliography Related Articles

Figures

Tables

Subject categories

Inorganic Chemicals

Other Versions

Boron Oxides, Boric Acid, and Borates

Michael Briggs, U.S. Borax Inc.

Kirk-Othmer Encyclopedia of Chemical Technology
Copyright © 2001 by John Wiley & Sons, Inc. All rights reserved.
DOI: 10.1002/0471238961.0215181519130920.a01.pub2
Article Online Posting Date: July 13, 2001

< Previous Next >

8. Calcium-Containing Borates

8.1. Dicalcium Hexaborate Pentahydrate

Dicalcium hexaborate pentahydrate, $\text{Ca}_2\text{B}_6\text{O}_{11}\cdot5\text{H}_2\text{O}$ or $2\text{CaO}\cdot3\text{B}_2\text{O}_3\cdot5\text{H}_2\text{O}$; formula wt, 411.08; monoclinic; sp gr, 2.42; heat of formation, -3.469 kJ/mol (-0.83 kcal/mol) (125); exists in nature as the mineral colemanite. Its solubility in water is about 0.1% at 25°C and 0.38% at 100°C . Heats of solution have been determined in HCl (125). Colemanite is slowly formed on heating saturated solutions of inyoite, $2\text{CaO}\cdot3\text{B}_2\text{O}_3\cdot13\text{H}_2\text{O}$, or other higher hydrates. Colemanite decrepitates violently at 480°C losing all its water and forming an anhydrous very low bulk density powder (126).

The crystal structure of colemanite has been shown to contain $[B_3O_4(OH)_3]^{2n-}$; polyanion chains. The structural relationships between colemanite and the other minerals of the series $2CaO \cdot 3B_2O_3 \cdot nH_2O$ (n = 1, 5, 7, 9, 13), and structural changes accompanying the ferroelectric transition of colemanite have been outlined (127).

8.2. Sodium Calcium Pentaborate Octahydrate

Sodium calcium pentaborate octahydrate, NaCaB $_5$ O $_9$ ·8H $_2$ O or Na $_2$ O·2CaO·5B $_2$ O $_3$ ·16H $_2$ O; formula wt, 405.23; triclinic; sp gr, 1.95; exists in nature as the mineral ulexite. The compound can be prepared by seeding a solution of 110 g CaB $_2$ O $_4$ ·6H $_2$ O, 40 g